

MATERIAL SAFETY DATA SHEET

Product: SAFA 302
Product No.: 126

Manufacturer's Name: PCI Group, Inc.
5424 S. 39th Street, Ste 1
Phoenix, AZ 85040 USA

SECTION 1 -- PRODUCT IDENTITY

Date Prepared: JANUARY 2010

Emergency Telephone Numbers

US & Canada 800-255-3924

International 813-979-0626

Preparer's Name: PCI Group, Inc.

HMIS INFORMATION

Health 2

Flammability 2

Reactivity 0

Personal Protection H

Chemical Name: N/A - Product is a mixture

Chemical Formula: N/A - Product is a mixture

DOT Shipping Class: Not Regulated

SECTION II -- HAZARDOUS INGREDIENTS

Chemical & Common Name	CAS#	WT%	OSHA PEL	ACGIH TLV	OTHER
------------------------	------	-----	----------	-----------	-------

* Ethylene Glycol Monobutyl Ether	111-76-2	46-47%	50 ppm	20 ppm	
-----------------------------------	----------	--------	--------	--------	--

* Denotes a reportable chemical under 40 CFR 372, SARA Title III Section 313.

SECTION III -- PHYSICAL CHARACTERISTICS

Boiling Point: 339° F

Relative Density: .97 25° C

Vapor Pressure: 0.4 mm Hg @ 20°C

Evaporation Rate (Butylacetate=1): 0.06 N/AV

Vapor Density: 4.1 (Air=1)

Solubility In Water: 100%

Odor: Ether Like

SECTION IV -- FIRE & EXPLOSION DATA

Flash Point: 154° F (Method: TCC)

Flammable Limits: Lower 1.1% Upper 10.6%

Extinguishing Media: Use water fog or fine spray, Dry chemical fire extinguishers, Carbon dioxide fire extinguishers, Foam, Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Special Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire effected zone until fire is out and danger or reignition has passed.

Unusual Fire & Explosion Hazards: Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

Reactivity: Product is stable.

Hazardous Polymerization: Will not occur.

Conditions To Avoid: Product can oxidize at elevated temperatures. Do not distill to dryness. Generation of gas during decomposition can cause pressure in closed systems.

Materials To Avoid: Strong Acids and Strong Bases.

Hazardous Decomposition Products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Aldehydes, Ketones, and Organic Acids.

SECTION V -- HEALTH HAZARD DATA

ACUTE HEALTH EFFECTS

Eye Contact: May cause redness, irritation. Flush with water for 15 minutes.

Inhalation: Prolonged exposure in poorly ventilated areas may irritate nasal mucous membranes.

Avoid prolonged or repeated breathing of vapors. If exposure may or does exceed occupational exposure limits, use NIOSH approved respirator to prevent overexposure.

Ingestion: Harmful if swallowed.

Skin Contact: Prolonged or repeated skin contact may cause irritation.

EMERGENCY FIRST AID PROCEDURES

Eye Contact: Flush with water for at least 15 minutes; if irritation persists, get medical attention.

Inhalation: Remove to fresh air and provide oxygen if needed. Get medical attention if breathing difficulties persist.

Ingestion: Do NOT induce vomiting. Call a Physician.

Skin Contact: Remove contaminated clothing. Flush skin with water followed by soap and water.

Aggravated Medical Conditions: Preexisting skin, eye and lung disorders may be aggravated by exposure.

SECTION VI -- SPILL OR LEAK PROCEDURES

Steps To Be Taken In Case Material Is Spilled Or Released: Soak up spill with absorbent material. Eliminate all sources of ignition. Wear appropriate respirator and protective clothing.

Waste Disposal Method: Dispose of in accordance with all applicable federal, state and local regulations.

SECTION VII -- SPECIAL PROTECTION DATA

Respiratory Protection: None required with adequate room ventilation.

Ventilation: Local exhaust.

Protective Gloves: Rubber or plastic chemical resistant.

Eye Protection: Goggles or face shield.

Other Protective Equipment: Plastic apron, if contact is likely. Eyewash station should be available.

Additional: Use explosion-proof ventilation as required to control vapor concentrations.

SECTION VIII -- STORAGE & HANDLING DATA

Precautions To Be Taken In Handling And Storage: Keep away from sources of ignition. Store in original container; keep tightly closed. Do not reuse container for other purposes.

Other Precautions: KEEP OUT OF REACH OF CHILDREN.

The information contained herein is based on the data available to us and is believed to be correct. However; PCI Group, Inc. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. PCI Group, Inc. assumes no responsibility for injury from the use of the product described herein.

This MSDS conforms with OSHA Hazard Communication Standard 1900.1210 and to SARA Title III Section 313 for supplier notification.